WASHER MICROPLATE

MANUFACTURER: BIO-TEK INSTRUMENTS

Manufacturer Model# ELx50

Manufacturer's PHONE: (802) 655-4740 FAX: (802) 655-7941

Manufacturer's Website: http://www.biotek.com/>

Item Web Link:

http://www.biotek.com/products/liquid handling/elx50 microplate strip washer.html>

AAC 'L' ITEM NSN 6640-01-467-9283

UAs: 211B

USAMMA POC: Customer Relationship Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$3,915.00

System Description: As a self-contained and programmable instrument, the ELx50 allows for full control of precise fluidic delivery from the gentle dripping of a simple squeeze bottle to the full force of pressure delivery systems.

In a 96-well format, the Dual-Action manifold provides incomparable wash performance with two sets of dispense and aspiration tubes per well. This exclusive method of two-fold aspiration guarantees low residuals. The ELx50 Auto Strip Washer is the perfect solution for low volume users of both 96- and 384-well microplates.

Features: Hardware:

- Syringe drive fluid delivery system for precise control over all fluid flow rates
- Patented Dual-Action[™] manifold washes both 96- and 384-well plates precisely and accurately.
- Unique priming trough built into removable microplate carrier for effortless priming and easy maintenance
- Automatic buffer switching (optional)
- Electronics completely isolated from fluidic system
- Aerosol shield

Software:

- Wash single strips or full plates
- Create, edit, delete, and copy up to 75 programs from the keypad
- Link up to 10 programs to run the most complex routines
- Multi-user friendly; total programming control for complex research applications, yet easy to use for routine clinical work
- Programmable shaking duration and intensity
- Easy to use and maintain with built-in maintenance programs
- Bottom washing and crosswise aspiration protocols



WASHER MICROPLATE PART # ELx50 NSN 6640014679283

WASHER MICROPLATE PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	Height (Inches)	6.5
	Width (Inches)	14
	Length (Inches)	16
	Cube (Cubic Feet)	0.8426
	Weight	20 lbs
Ship Dimensions	Height (Inches)	0
_	Width (Inches)	0
	Length (Inches)	0
	Cube (Cubic Feet)	0
	Weight	
Storage Temp		-4 to 122 °F
Operating Temp		59 to 104 °F
Storage Humidity		10 to 85% Non-condensing
Operating Humidity		10 to 85% Non-condensing
Amps		0.4
Watts		40
Power Requirements	100-240 VAC, 50/60 Hz	
Notes		

WASHER MICROPLATE ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN BIO-TEK Instrument s	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6640014679283		Washer Microplate	ELX50		1	EA	\$3,915.00	\$3,915.00	N/A
	Awaiting NSN	24VDC power supply	61062		1	EA	Incl w/NSN 9283	Incl w/NSN 9283	N/A
	Awaiting NSN	Bottle Reagent (2L) w Cap & Connector	4070515		1	EA	Incl w/NSN 9283	Incl w/NSN 9283	N/A
	Awaiting NSN	Bottle Waste (2L) without Cap	48140		1	EA	Incl w/NSN 9283	Incl w/NSN 9283	N/A
	Awaiting NSN	Cover Aerosol	4070517		1	EA	Incl w/NSN 9283	Incl w/NSN 9283	N/A
	Awaiting NSN	Manifold 8-Channel	4070512S		1	EA	Incl w/NSN 9283	Incl w/NSN 9283	N/A
	Awaiting NSN	Tubing Set Supply	4070510		1	SE	Incl w/NSN 9283	Incl w/NSN 9283	N/A
7610015437003		Literature, Operator	4071000		1	EA	Incl w/NSN 9283	Incl w/NSN 9283	N/A
NSN Not Required		Case ,Transport			1	EA	Incl w/NSN 9283	Incl w/NSN 9283	N/A